

Certificate ID: 91048

Received: 12/28/20

 Scan QR Code  
 for authenticity


Client Sample ID: 1500 mg Mocha 1oz

Lot Number: 20350


Matrix: Water Soluble - Tinctures



Authorization:

Chris Hudalla, Chief Science Officer

Signature:



Date:

1/6/2021



The data contained within this report was collected in accordance with the requirements of ISO/IEC17025:2017. I attest that the information contained within the report has been reviewed for accuracy and checked against the quality control requirements for each method. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

**CN: Cannabinoid Profile & Potency [WI-10-17 & WI-10-17-01]**

Analyst: JFD

Test Date: 12/29/2020

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

**91048-CN**

| ID      | Weight % | Concentration (mg/mL) |    |  |      |
|---------|----------|-----------------------|----|--|------|
| D9-THC  | ND       | ND                    |    |  |      |
| THCV    | 0.0160   | 0.159                 |    |  |      |
| CBD     | 0.294    | 2.92                  |    |  |      |
| CBDV    | 0.0609   | 0.605                 |    |  |      |
| CBG     | 0.0110   | 0.109                 |    |  |      |
| CBC     | ND       | ND                    |    |  |      |
| CBN     | ND       | ND                    |    |  |      |
| THCA    | ND       | ND                    |    |  |      |
| CBDA    | ND       | ND                    |    |  |      |
| CBGA    | ND       | ND                    |    |  |      |
| D8-THC  | ND       | ND                    |    |  |      |
| exo-THC | ND       | ND                    |    |  |      |
| Total   | 0.382    | 3.79                  | 0% | Cannabinoids (wt%)                       | 0.3% |
| Max THC | ND       | ND                    |    | Limit of Quantitation (LOQ) = 0.0106 wt% |      |
| Max CBD | 0.294    | 2.92                  |    | Limit of Detection (LOD) = 0.0035 wt%    |      |

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation:  $\text{Max THC} = (0.877 \times \text{THCA}) + \text{THC}$ . This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LOD), which is one third of LOQ.

**END OF REPORT**



# ARL

Analytical Resource Laboratory

47-2854223  
520 South 850 East, Suite B3  
Lehi, UT 84043  
801-847-7722  
www.analyticalresource.com  
info@yourqualitylab.com

## Certificate of Analysis

### Client Information

PurHealth RX  
14663 S. Heritage Crest Way  
Bluffdale, UT  
84065 USA  
801.903.7789

### Sample Information


ARL ID: 387581  
Date Received: 12/18/2020  
Description: 1,500mg Mocha 1oz Beginning, Middle, End  
Lot#: 20350

| Analysis                           | Method      | MDL    | Specification | Results       | UOM       | Lab ID |
|------------------------------------|-------------|--------|---------------|---------------|-----------|--------|
| Complete Micro Profile Pseudomonas | USP, AOAC   |        |               |               |           | 1      |
| Total Plate Count                  | USP <2021>  | 10     | Record Only   | None Detected | cfu's/g   | 1      |
| Coliforms                          | AOAC 991.14 | 10     | Record Only   | None Detected | cfu's/g   | 1      |
| E. coli                            | USP <2022>  | Absent | Record Only   | Absent        | cfu's/10g | 1      |
| Staphylococcus aureus              | USP <2022>  | Absent | Record Only   | Absent        | cfu's/10g | 1      |
| Salmonella                         | USP <2022>  | Absent | Record Only   | Absent        | cfu's/10g | 1      |
| Pseudomonas aeruginosa             | USP <62>    | Absent | Record Only   | Absent        | cfu's/10g | 1      |
| Yeast and Mold (Rapid)             | AOAC RI     | 10     | Record Only   | None Detected | cfu's/g   | 1      |

Form# arlcoa031201a

Printed on: Dec 21, 2020 1:53 PM

experience • professionalism • value

Released by:   
Jacob Teller  
Dec 21, 2020  
Page 1

\* ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and Supplement also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.

**HM: Heavy Metal Analysis [WI-10-13]**

Analyst: JFD

Test Date: 3/29/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

**25691-HM**

| Symbol | Metal   | Conc. <sup>1</sup> | Units | MDL | Use Limits <sup>2</sup> |           | Units | Status |
|--------|---------|--------------------|-------|-----|-------------------------|-----------|-------|--------|
|        |         |                    |       |     | All                     | Ingestion |       |        |
| As     | Arsenic | ND                 | µg/kg | 4   | 200                     | 1500      | µg/kg | PASS   |
| Cd     | Cadmium | 3                  | µg/kg | 1   | 200                     | 500       | µg/kg | PASS   |
| Hg     | Mercury | 3                  | µg/kg | 2   | 100                     | 1500      | µg/kg | PASS   |
| Pb     | Lead    | 37                 | µg/kg | 2   | 500                     | 1000      | µg/kg | PASS   |

1) ND = None detected to Lowest Limits of Detection (LLD)

2) MA Dept. of Public Health: Protocol for MMJ and MIPS, Exhibit 4(a) for all products.

3) USP exposure limits based on daily oral dosing of 1g of concentrate for a 110 lb person.

**MB1: Microbiological Contaminants [WI-10-09]**

Analyst: Alyson

Test Date: 3/29/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

**25691-MB1**

| Symbol | Analysis                                | Results | Units | Limits*      | Status |
|--------|---|---------|-------|--------------|--------|
| AC     | Total Aerobic Bacterial Count           | <100    | CFU/g | 10,000 CFU/g | PASS   |
| CC     | Total Coliform Bacterial Count          | <100    | CFU/g | 100 CFU/g    | PASS   |
| EB     | Total Bile Tolerant Gram Negative Count | <100    | CFU/g | 100 CFU/g    | PASS   |
| YM     | Total Yeast & Mold                      | <100    | CFU/g | 1,000 CFU/g  | PASS   |

Note: All recorded Microbiological tests are within the established limits.

**MB2: Pathogenic Bacterial Contaminants [WI-10-10]**

Analyst: matt

Test Date: 3/29/2018

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

**25691-MB2**

| Test ID    | Analysis       | Results  | Units | Limits*      | Status |
|------------|----------------|----------|-------|--------------|--------|
| 25691-ECPT | E. coli (O157) | Negative | NA    | Non Detected | PASS   |
| 25691-SPT  | Salmonella     | Negative | NA    | Non Detected | PASS   |

Note: All recorded pathogenic bacteria tests passed.

*PST: Pesticide Analysis [WI-10-11]**Analyst: KSB**Test Date: 3/29/2018*

The client sample was analyzed for pesticides using Liquid Chromatography with Mass Spectrometric detection (LC/MS/MS). The method used for sample prep was based on the European method for pesticide analysis (EN 15662).

*25691-PST*

| Analyte            | CAS         | Result | Units | LLD | Limits (ppb) | Status |
|--------------------|-------------|--------|-------|-----|--------------|--------|
| Abamectin          | 71751-41-2  | ND     | ppb   | 0.2 | 10           | PASS   |
| Azoxystrobin       | 131860-33-8 | ND     | ppb   | 0.1 | 10           | PASS   |
| Bifenazate         | 149877-41-8 | ND     | ppb   | 0.1 | 10           | PASS   |
| Bifenthrin         | 82657-04-3  | ND     | ppb   | 0.2 | 10           | PASS   |
| Cyfluthrin         | 68359-37-5  | ND     | ppb   | 0.5 | 10           | *      |
| Daminozide         | 1596-84-5   | ND     | ppb   | 10  | 10           | PASS   |
| Dichlorvos         | 62-73-7     | ND     | ppb   | 3   | 10           | *      |
| Etoxazole          | 153233-91-1 | ND     | ppb   | 0.1 | 10           | PASS   |
| Fenoxycarb         | 72490-01-8  | ND     | ppb   | 0.1 | 10           | PASS   |
| Imazalil           | 35554-44-0  | ND     | ppb   | 0.1 | 10           | PASS   |
| Imidacloprid       | 138261-41-3 | ND     | ppb   | 0.1 | 10           | PASS   |
| Myclobutanil       | 88671-89-0  | ND     | ppb   | 0.1 | 10           | PASS   |
| Paclobutrazol      | 76738-62-0  | ND     | ppb   | 0.1 | 10           | PASS   |
| Piperonyl butoxide | 51-03-6     | ND     | ppb   | 0.1 | 10           | PASS   |
| Pyrethrin          | 8003-34-7   | ND     | ppb   | 0.1 | 10           | PASS   |
| Spinosad           | 168316-95-8 | ND     | ppb   | 0.1 | 10           | PASS   |
| Spiromesifen       | 283594-90-1 | ND     | ppb   | 0.1 | 10           | PASS   |
| Spirotetramat      | 203313-25-1 | ND     | ppb   | 0.1 | 10           | PASS   |
| Trifloxystrobin    | 141517-21-7 | ND     | ppb   | 0.1 | 10           | PASS   |

\* Testing limits established by the Massachusetts Department of Public Health, Protocol for Sampling and Analysis of Finished Medical Marijuana Products and Marijuana-Infused Products for Massachusetts Registered Medical Marijuana Dispensaries, Exhibit 5. ND indicates "none detected" above the lower limit of detection (LLD). Analytes marked with (\*) indicate analytes for which no recovery was observed for a pre-spiked matrix sample.

**VC: Analysis of Volatile Organic Compounds [WI-10-07]**

Analyst: CJH

Test Date: 3/29/2018

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.

**25691-VC**

| Compound           | CAS      | Amount <sup>1</sup> | Limit <sup>2</sup> | Status |
|--------------------|----------|---------------------|--------------------|--------|
| Propane            | 74-98-6  | ND                  | N/A                | -      |
| Butane             | 106-97-8 | ND                  | 5,000 ppm          | PASS   |
| Methanol           | 67-56-1  | ND                  | 3,000 ppm          | PASS   |
| Ethanol            | 64-17-5  | ND                  | 5,000 ppm          | PASS   |
| 2,2-dimethylbutane |          | ND                  | N/A                | -      |
| Acetone            | 67-64-1  | ND                  | 5,000 ppm          | PASS   |
| Isopropanol        | 67-63-0  | ND                  | 5,000 ppm          | PASS   |
| 2,3-dimethylbutane | 79-29-8  | ND                  | N/A                | -      |
| 3-methylpentane    | 96-14-0  | ND                  | N/A                | -      |
| Hexane             | 110-54-3 | ND                  | 290 ppm            | PASS   |
| 1-propanol         | 71-23-8  | ND                  | 5,000 ppm          | PASS   |
| Toluene            | 108-88-3 | ND                  | 890 ppm            | PASS   |

1) ND = None detected above 5 ppm.

2) In ppm, based on USP recommended limits for residual solvents, adopted by the Massachusetts Department of Public Health on 3/31/16. Butane/Propane limits are based on limits established for state of Colorado.

**END OF REPORT**